

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows to correct the amendment in the notice of allowance mailed 7/2/09 which inadvertently made change in canceled claim 9 instead of claim 12:

-Claim 12, line 9: Between "said" and "line", -- dialysate transfer -- has been inserted.

line 18: Between "said" and "line", -- replacement fluid feeding -- has been inserted.

line 25: Between "said" and "line", -- drain -- has been inserted.

line 28: "transfer" has been deleted.

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOHN KIM whose telephone number is (571)272-1142. The examiner can normally be reached on Monday-Friday 7 a.m. - 3:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Vickie Kim can be reached on 571-272-0579. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/John Kim/  
Primary Examiner, Art Unit 1797

JK  
8/14/09